# Steritec Virucidal Cleaner

STERITEC



2 x 5L | STE-VC-CON-2X5

Effective against bacteria, yeasts and enveloped viruses in 60 seconds.

Effective against non-enveloped viruses in 60 minutes. Fragrance-free formulation, ideal for use in food preparation areas.

A highly concentrated disinfectant, suitable for use on most non-porous hard surfaces. Offers excellent broad-spectrum activity against bacteria, yeasts, fungi and viruses. Ideal for use in hospitals and care homes where high levels of disinfection are required, as well as areas such as schools and leisure centres. It's fragrance-free formulation also makes it ideal for use in food production areas.

#### **Directions for use**

For professional use only.

- 1. Ensure that the surface is clean and free of debris before application.
- 2. Always dilute before use.
- For efficacy against Enveloped Viruses and Norovirus, dilute 30ml of product with clean water into a 750ml trigger spray (4%).
   Additional dilution rates and contact times can be found on the next page, depending on efficacy required.
- Apply to surface to be cleaned via spray or by wiping, paying particular attention to corners and under edges.
- 5. Ensure that the surface is completely wet after application.
- 6. Leave for up to 5 minutes (4% dilution) before rinsing or allow to air dry.

  Surfaces that come into contact with food must be rinsed after application.



6 x 750ml HDR | STE-VC-RF-6X750

#### **Product Info**

Colour: **Red** 

Fragrance: **None** 

pH: **12.5 - 13.5** 

Shelf Life: 36 Months



# **Efficacy Summary**

### **Bacteria**

EN TEST	DILUTION (%)	CONTACT TIME	CONDITION	ORGA	NISM
EN 1276	2%	60 seconds	Dirty	Pseudomonas aeruginosa Staphylococcus aureus	Escherichia coli Enterococcus hirae
EN 1276	0.5%	5 mins	Dirty	Listeria monocytogenes	Salmonella typhimurium
EN 13727	2%	60 seconds	Dirty	Pseudomonas aeruginosa Staphylococcus aureus	Escherichia coli Enterococcus hirae
EN 13697	3%	5 mins	Dirty	Pseudomonas aeruginosa Staphylococcus aureus	Escherichia coli Enterococcus hirae
EN 16615	1%	60 seconds	Dirty	Pseudomonas aeruginosa Staphylococcus aureus	Enterococcus hirae Proteus hauseri
EN 14561	2.5%	15 mins	Clean	Pseudomonas aeruginosa Staphylococcus aureus	Enterococcus hirae

### Viruses

EN TEST	DILUTION (%)	CONTACT TIME	CONDITION	ORGANIS	6M
EN 14476	4%	60 seconds	Clean	Modified Vaccinia virus ankara	Bovine Corona virus
EN 14476	3%	5 mins	Clean	Murine Norovirus Influenza A (H1N1/H7N9)	Adenovirus
EN 14476	5%	5 mins	Dirty	Murine Norovirus	Adenovirus
EN 14476	5%	60 mins	Dirty	Poliovirus	
EN 16777	4%	60 seconds	Clean	Modified Vaccinia virus ankara	
EN 16777	5%	30 mins	Clean	Murine Norovirus	Adenovirus
EN 17111	1%	15 mins	Clean	Modified Vaccinia virus ankara	

## **Fungi**

EN TEST	DILUTION (%)	CONTACT TIME	CONDITION	ORGANISM
EN 16615	2%	15 mins	Clean	Aspergillus brasiliensis
EN 1650	4%	30 mins	Clean	Aspergillus brasiliensis

#### **Yeasts**

EN TEST	DILUTION (%)	CONTACT TIME	CONDITION	ORGANISM
EN 1650	2%	60 seconds	Dirty	Candida albicans
EN 13624	4%	60 seconds	Dirty	Candida albicans
EN 13697	3%	5 mins	Dirty	Candida albicans
EN 16615	1%	60 seconds	Dirty	Candida albicans
EN14562	3%	15 mins	Clean	Candida albicans

Use biocides safely and sustainably. Always read the label and product information before use.

