CLEENOL For a cleaner, safer world

SAFETY DATA SHEET CLEENOL RINSEAID

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	CLEENOL RINSEAID	
Internal identification	020812RS, 02081TRS, 020211RS	
Container size	2x5L, 10L, 20L	
1.2. Relevant identified uses	1.2. Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Cleaning agent. Descaler. For use only in machine dishwashers using the Cleenol Automatic Dosing System (ADS).	
1.3. Details of the supplier of	the safety data sheet	
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk	
1.4. Emergency telephone nu	Imber	
Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).	
SECTION 2: Hazards identified	cation	
2.1. Classification of the subs	tance or mixture	
Classification (EC 1272/2008	-	
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard pictograms		
Signal word	Warning	
Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation.	

Precautionary statements	P280 Wear protective gloves/ protective cloth P302+P352 IF ON SKIN: Wash with plenty of P305+P351+P338 IF IN EYES: Rinse cautiou contact lenses, if present and easy to do. Cor P332+P313 If skin irritation occurs: Get media P337+P313 If eye irritation persists: Get media P362+P364 Take off contaminated clothing a	water. Isly with water for several minutes. Remove Intinue rinsing. Ical advice/ attention. Ical advice/ attention.
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after P321 Specific treatment (see medical advice	-
2.3. Other hazards		
SECTION 3: Composition/info	rmation on ingredients	
3.2. Mixtures		
ALCOHOLS, C9-11, C10-rich PROPOXYLATED CAS number: 154518-36-2	n, ETHOXYLATED	10-30%
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		
ETHANOL		1-5%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX
Classification Flam. Liq. 2 - H225		
PROPAN-2-OL CAS number: 67-63-0	EC number: 200-661-7	1-5%
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		
CITRIC ACID MONOHYDRA CAS number: 5949-29-1	TE EC number: 691-328-9	<1%
Classification Skin Irrit. 2 - H315		
The full text for all hazard state	ements is displayed in Section 16.	
SECTION 4: First aid measure	95	
4.1. Description of first aid me	asures	
Inhalation	No special treatment required.	
Ingestion	Rinse mouth thoroughly with water. Give a few	w small glasses of water or milk to drink. Get

medical attention if a large quantity has been ingested.

Skin contact	Wash with plenty of water.
Eye contact	Do not rub eye. Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	No adverse effects known. The product is considered to be a low hazard under normal conditions of use.
Ingestion	No adverse effects known. May be harmful if swallowed.
Skin contact	May cause skin irritation.
Eye contact	May cause severe eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	None known.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable distance.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid contact with skin, eyes and clothing. Do not touch or walk into spilled material. Take care as floors and other surfaces may become slippery.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	No negative effects on the aquatic environment are known.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Discharge of small quantities to the sewer with plenty of water may be permitted.
6.4. Reference to other section	ns
Poforance to other sections	For personal protection, son Section 8. For waste disposal, son Section 13

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Usage precautions	For professional users only. Avoid spilling. Avoid contact with eyes and prolonged skin contact.
Advice on general occupational hygiene	Wash contaminated skin thoroughly after handling.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³ Short-term exposure limit (15-minute): WEL

CITRIC ACID MONOHYDRATE

Long-term exposure limit (8-hour TWA): 4 mg/m³ Short-term exposure limit (15-minute): 10 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment

Odour

Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific requirements are anticipated under normal conditions of use. For users with sensitive skin, it is recommended that suitable protective gloves are worn.
Hygiene measures	Good personal hygiene procedures should be implemented. Wash hands thoroughly after handling.
Respiratory protection	No specific requirements are anticipated under normal conditions of use.
SECTION 9: Physical and che	emical properties
9.1. Information on basic phys	sical and chemical properties
Appearance	Liquid.
Colour	Blue.

рН	pH (concentrated solution): 2.5 - 3.5
Initial boiling point and range	100°C
Flash point	Not applicable.
Relative density	0.998 - 1.010 @ 20°C
Solubility(ies)	Soluble in water.
Auto-ignition temperature	Not applicable.
Viscosity	Non-viscous.
Explosive properties	Not applicable.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Refractive index	14 - 16
Volatile organic compound	This product contains a maximum VOC content of 5 - 10 %.
SECTION 10: Stability and rea	Ictivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	No specific requirements are anticipated under normal conditions of use.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological information	
11.1. Information on toxicologi	cal effects
Toxicological effects	Information given is based on data of the components and of similar products.
Skin corrosion/irritation	
Skin corrosion/irritation	Causes skin irritation.
Extreme pH	Moderate pH (> 2 and < 11.5).
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.

Inhalation	Considered to be a low inhalation hazard at normal workplace temperatures.
Ingestion	No adverse effects known. May be harmful if swallowed.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Route of exposure	Skin and/or eye contact
Medical considerations	Pre-existing eye problems.
SECTION 12: Ecological information	
Ecotoxicity	No negative effects on the aquatic environment are known.
12.1. Toxicity	
Toxicity	The product is not believed to present a hazard due to its physical nature.
12.2. Persistence and degrad	ability
Persistence and degradability	Moderately biodegradable.
12.3. Bioaccumulative potenti	al
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	Soluble in water.
12.5. Results of PBT and vPv	B assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	Jerations
13.1. Waste treatment method	ds
General information	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Following dilution, discharge to the sewer with plenty of water may be permitted.
SECTION 14: Transport inform	mation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number Not applicable.	
14.2. UN proper shipping nam	<u>1e</u>
Not applicable.	
14.3. Transport hazard class(es)	
No transport warning sign required.	

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
Guidance	EH40/2005 Workplace exposure limits Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended) Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	28/05/2021
Revision	10
Supersedes date	03/02/2021
SDS number	21153
Hazard statements in full	H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.