

SAFETY DATA SHEET POLISH STRIPPER

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	POLISH STRIPPER	
Internal identification	041502X5	
Container size	2x5L	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Floor polish stripper.	
1.3. Details of the supplier of the safety data sheet		
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk	
1.4. Emergency telephone number		
Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
Classification (EC 1272/200	<u>8)</u>	
Physical hazards	Met. Corr. 1 - H290	
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318	
Environmental hazards	Not Classified	
2.2. Label elements		

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

Precautionary statements	 P234 Keep only in original packaging. P260 Do not breathe vapour/ spray. P264 Wash contaminated skin thoroughly after here and the second structure gloves protective clothing/ P301+P330+P331 IF SWALLOWED: Rinse moute P303+P361+P353 IF ON SKIN (or hair): Take offer Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to frest P305+P351+P338 IF IN EYES: Rinse cautiously contact lenses, if present and easy to do. Continue P310 Immediately call a POISON CENTER/ doct P321 Specific treatment (see medical advice on the P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage P405 Store locked up. P406 Store in a corrosion-resistant container with P501 Dispose of contents/ container in accordance. 	 eye protection/ face protection. h. Do NOT induce vomiting. immediately all contaminated clothing. h air and keep comfortable for breathing. with water for several minutes. Remove ue rinsing. or. his label). a resistant inner liner.
Contains	DISODIUM METASILICATE	
Supplementary precautionary statements	P332+P313 If skin irritation occurs: Get medical advice/ attention.	
2.3. Other hazards		
SECTION 3: Composition/info	rmation on ingredients	
3.2. Mixtures		
DISODIUM METASILICATE CAS number: 10213-79-3	EC number: 229-912-9	5-10% REACH registration number: 01- 2119449811-37-XXXX
Classification Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335		
SODIUM P-CUMENESULPH CAS number: 15763-76-5	ONATE EC number: 239-854-6	1-5% REACH registration number: 01-
		2119489411-37-XXXX
Classification Eye Irrit. 2 - H319		
The full text for all hazard state	ements is displayed in Section 16.	
SECTION 4: First aid measure	95	
4.1. Description of first aid me	asures	
Inhalation	Unlikely route of exposure as the product does no	ot contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly immediately	with water. Get medical attention

immediately.

Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 10 minutes. Get medical attention if irritation persists after washing.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention.	
4.2. Most important symptoms	and effects, both acute and delayed	
Ingestion	Corrosive. May cause severe internal injury. May cause chemical burns in mouth, oesophagus and stomach.	
Skin contact	May be harmful in contact with skin.	
Eye contact	May cause serious eye damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Specific treatments	Treat symptomatically.	
SECTION 5: Firefighting measurements	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	None known.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Corrosive gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable distance.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Avoid contact with skin, eyes and clothing. Do not touch or walk into spilled material. Take care as floors and other surfaces may become slippery.	
6.2. Environmental precaution	<u>S</u>	
Environmental precautions	Avoid discharge into drains and the aquatic environment.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	For professional users only. Avoid breathing spray. Avoid contact with skin, eyes and clothing.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container.	

 Storage class
 Chemical storage. Corrosive storage.

 7.3. Specific end use(s)
 The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

DISODIUM METASILICATE (CAS: 10213-79-3)

DNEL	Workers - Dermal; Long term : 1.49 mg/kg/day Workers - Inhalation; Long term : 6.22 mg/m ³ Consumer - Dermal; Long term : 0.74 mg/kg/day Consumer - Inhalation; Long term : 1.55 mg/m ³ Consumer - Oral; Long term : 0.74 mg/kg/day
PNEC	Fresh water; 7.5 mg/l marine water; 1 mg/l Water, Intermittent release; 7.5 mg/l STP; 1000 mg/l

8.2. Exposure controls

Protective equipment





Appropriate engineering controls	No specific ventilation requirements.	
Eye/face protection	Wear eye protection.	
Hand protection	It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from chemicals, gloves should comply with European Standard EN374. Wear protective gloves made of the following material: Nitrile rubber. Rubber (natural, latex). Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC).	
Other skin and body protection	Wear appropriate clothing to prevent skin contamination.	
Hygiene measures	Wash contaminated skin thoroughly after handling.	
Respiratory protection	No specific requirements are anticipated under normal conditions of use.	
SECTION 9: Physical and chemical properties		

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Detergent.
рН	pH (concentrated solution): 13 - 14
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	> 60°C Pensky-Martens closed cup.

Flammability (solid, gas)	Not applicable.	
Relative density	~ 1.05 @ 20°C	
Solubility(ies)	Soluble in water.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not determined.	
Viscosity	Non-viscous.	
Explosive properties	Not applicable.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
Refractive index	7.5 - 9.5	
Volatile organic compound	This product contains a maximum VOC content of <1 %.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	May react with: Acids.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	The following materials may react strongly with the product: Strong mineral acids.	
10.4. Conditions to avoid		
Conditions to avoid	No specific requirements are anticipated under normal conditions of use.	
10.5. Incompatible materials		
Materials to avoid	Acids.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Does not decompose when used and stored as recommended.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicologi	cal effects	
Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.	
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach.	
Skin contact	May cause serious chemical burns to the skin.	
Eye contact	Causes burns.	
SECTION 12: Ecological information		
Ecotoxicity	No information available.	
12.1. Toxicity		
12.2 Persistence and degrad	ability	

12.2. Persistence and degradability

Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potentia	<u>d</u>	
Bioaccumulative potential	The product is not bioaccumulating.	
12.4. Mobility in soil		
Mobility	The product is miscible with water and may spread in water systems.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	Dispose of waste via a licensed waste disposal contractor.	
SECTION 14: Transport inform	nation	
14.1. UN number		
UN No. (ADR/RID)	1760	
UN No. (IMDG)	1760	
UN No. (ICAO)	1760	
UN No. (ADN)	1760	
14.2. UN proper shipping name	<u>e</u>	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, N.O.S. (DISODIUM METASILICATE)	
Proper shipping name (IMDG)	CORROSIVE LIQUID, N.O.S. (DISODIUM METASILICATE)	
Proper shipping name (ICAO)	CORROSIVE LIQUID, N.O.S. (DISODIUM METASILICATE)	
Proper shipping name (ADN)	CORROSIVE LIQUID, N.O.S. (DISODIUM METASILICATE)	
14.3. Transport hazard class(es)		
ADR/RID class	8	
ADR/RID classification code	C9	
ADR/RID label	8	
IMDG class	8	
ICAO class/division	8	
ADN class	8	
Transport labels		



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	Ш
ICAO packing group	Ш

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special	precautions	for	user
---------------	-------------	-----	------

EmS	F-A, S-B
ADR transport category	3
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
Guidance	EH40/2005 Workplace exposure limits Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended) Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	04/03/2020
Revision	9
Supersedes date	15/11/2019

SDS number	10066
Hazard statements in full	H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.