

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SAFETY DATA SHEET

# Easidose Perfumed Antibacterial Bath & Washroom Cleaner

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Easidose Perfumed Antibacterial Bath & Washroom Cleaner

Product no.

ED6/1L

Unique formula identifier (UFI)

Q9A1-S0PF-500Y-7P60

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning product, Biocide

Restricted to professional users.

Product code (A.I.S.E.)

#### Code

AISE-P306 / Sanitary cleaner. Spray and wipe manual process.

AISE-P315 / Surface disinfactant. Spray and rinse manual process.

### Use descriptors (REACH)

<b>Product category</b>	Description
PC 35	Washing and Cleaning Products (including solvent based products)
PC 8	Biocidal Products (e.g. Disinfectants, pest control)

#### Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

## Cleenol Group Ltd.

Neville House, Beaumont Road, Banbury, Oxon,

**OX16 1RB** 

**United Kingdom** 

Tel: +44(0) 1295 251 721

www.cleenol.com

#### E-mai

technical.enquiries@cleenol.co.uk

Revision

20/09/2023

SDS Version

1.0

## 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

## SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### 2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Acute 1; H400, Very toxic to aquatic life.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

### Hazard pictogram(s)



### Signal word

Danger

### Hazard statement(s)

Causes severe skin burns and eye damage. (H314) Very toxic to aquatic life with long lasting effects. (H410)

### Precautionary statement(s)

General

#### Prevention

Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves. (P280)

Avoid release to the environment. (P273)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)

#### Storage

-

#### Disposal

Dispose of contents/container in accordance with local regulation (P501)

## Hazardous substances

Alcohols, C12-14, ethoxylated

Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16))

## Additional labelling

EUH208, Contains d-limonene. May produce an allergic reaction.

UFI: Q9A1-S0PF-500Y-7P60

Active substance(s):

Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)) (5.4 g/100g)

## 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Identifiers	% w/w	Classification	Note
CAS No.: 5949-29-1 EC No.: 611-842-9 UK-REACH: Index No.:	15-25%	Eye Irrit. 2, H319	
CAS No.: 68439-50-9 EC No.: 500-213-3 UK-REACH: Index No.:	10-15%	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412	[19]
CAS No.: 68424-85-1 EC No.: 270-325-2	5-10%	Acute Tox. 4, H302 Skin Corr. 1B, H314	[19]
	CAS No.: 5949-29-1 EC No.: 611-842-9 UK-REACH: Index No.: CAS No.: 68439-50-9 EC No.: 500-213-3 UK-REACH: Index No.:	CAS No.: 5949-29-1 EC No.: 611-842-9 UK-REACH: Index No.:  CAS No.: 68439-50-9 EC No.: 500-213-3 UK-REACH: Index No.:  CAS No.: 68424-85-1  5-10%	CAS No.: 5949-29-1 EC No.: 611-842-9 UK-REACH: Index No.:  CAS No.: 68439-50-9 EC No.: 500-213-3 UK-REACH: Index No.:  CAS No.: 68424-85-1  CAS No.: 68424-85-1  S-10%  Eye Irrit. 2, H319  Eye Irrit. 2, H319  Eye Irrit. 2, H319  Acute Tox. 4, H302  Eye Dam. 1, H318  Aquatic Chronic 3, H412  Acute Tox. 4, H302



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

(ADBAC/BKC (C12-16))	UK-REACH: Index No.:		Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
d-limonene	CAS No.: 5989-27-5 EC No.: 227-813-5 UK-REACH: Index No.: 601-029-00-7	<1%	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412	[9]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[9] Identified by EU as one of 26 specific fragrance ingredients, known to cause allergic contact dermatitis (Regulation (EC) No 1223/2009 on cosmetic products)

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

### Inhalation

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

#### Skin contact

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

#### Eye contact

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

#### Ingestion

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

## Burns

Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

## 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

### Information to medics

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
Bring this safety data sheet or the label from this product.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO2)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

## Recommended storage material

Keep only in original packaging.

## Storage temperature

6 - 40°C

Dry, cool and well ventilated

### Incompatible materials

Bases

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### **DNEL**

Alcohols, C12-14, ethoxylated

Duration:	Route of exposure:	DNEL:	
Long term – Systemic effects - General population	Dermal	66.7 mg/kg bw/day	



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Long term – Systemic effects - Workers		
Long term Systemic Checks Workers	Dermal	187 mg/kg bw/da
Long term – Systemic effects - General population	Inhalation	3.48 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	19.6 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	1.33 mg/kg bw/da
Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBA	AC/BKC (C12-16))	
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	3.4 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	5.7 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.64 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	3.96 mg/m³
Long term – Systemic effects - General population	Oral	3.4 mg/kg bw/day
d-limonene		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	4.8 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	9.5 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	16.6 mg/m³
Long term – Systemic effects - Workers	Inhalation	66.7 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	4.8 mg/kg bw/day
Freshwater	bullution of Exposure.	3.4 µg/L
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater sediment		89.5 μg/kg
Intermittent release (freshwater)		445 ng/L
		44.5 ()
Intermittent release (marine water)		44.5 ng/L
Intermittent release (marine water)  Marine water		44.5 ng/L 340 ng/L
		_
Marine water		340 ng/L
Marine water Marine water sediment		340 ng/L 8.95 μg/kg
Marine water  Marine water sediment  Sewage treatment plant  Soil	AC/BKC (C12-16))	340 ng/L 8.95 μg/kg 200 μg/L
Marine water  Marine water sediment  Sewage treatment plant  Soil	AC/BKC (C12-16))  Duration of Exposure:	340 ng/L 8.95 μg/kg 200 μg/L
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBA	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBARoute of exposure:	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg <b>PNEC:</b>
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBA  Route of exposure:  Freshwater	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg <b>PNEC:</b> 420 ng/L
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAROUTE OF EXPOSURE:  Freshwater  Freshwater sediment	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg PNEC: 420 ng/L 68 mg/kg
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAROUTE OF EXPOSURE:  Freshwater  Freshwater  Freshwater sediment  Intermittent release (freshwater)	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg PNEC: 420 ng/L 68 mg/kg 160 ng/L
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAROUTE OF EXPOSURE: Freshwater  Freshwater  Freshwater sediment Intermittent release (freshwater) Intermittent release (marine water)	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg  PNEC: 420 ng/L 68 mg/kg 160 ng/L 207 ng/L
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAROUTE OF EXPOSURE:  Freshwater  Freshwater  Freshwater sediment  Intermittent release (freshwater)  Intermittent release (marine water)  Marine water	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg  PNEC: 420 ng/L 68 mg/kg 160 ng/L 207 ng/L 96 ng/L
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAROUTE OF EXPOSURE: Freshwater  Freshwater Freshwater sediment Intermittent release (freshwater) Intermittent release (marine water)  Marine water  Marine water sediment	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg  PNEC: 420 ng/L 68 mg/kg 160 ng/L 207 ng/L 96 ng/L 15.75 mg/kg
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAROUTE OF EXPOSURE: Freshwater Freshwater Freshwater sediment Intermittent release (freshwater) Intermittent release (marine water)  Marine water  Marine water sediment  Sewage treatment plant  Soil	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg  PNEC: 420 ng/L 68 mg/kg 160 ng/L 207 ng/L 96 ng/L 15.75 mg/kg 160 μg/L
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBA  Route of exposure:  Freshwater  Freshwater  Freshwater sediment  Intermittent release (freshwater)  Intermittent release (marine water)  Marine water  Marine water sediment  Sewage treatment plant	1	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg  PNEC: 420 ng/L 68 mg/kg 160 ng/L 207 ng/L 96 ng/L 15.75 mg/kg 160 μg/L
Marine water  Marine water sediment  Sewage treatment plant  Soil  Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBA  Route of exposure:  Freshwater  Freshwater  Freshwater sediment  Intermittent release (freshwater)  Intermittent release (marine water)  Marine water  Marine water sediment  Sewage treatment plant  Soil  d-limonene	Duration of Exposure:	340 ng/L 8.95 μg/kg 200 μg/L 16 μg/kg  PNEC: 420 ng/L 68 mg/kg 160 ng/L 207 ng/L 96 ng/L 15.75 mg/kg 160 μg/L 1.66 mg/kg



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Marine water	1.4 μg/L
Marine water sediment	385 μg/kg
Predators	133 mg/kg
Sewage treatment plant	1.8 mg/L
Soil	763 µg/kg

### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

## **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

## Appropriate technical measures

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

## Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

### Individual protection measures, such as personal protective equipment

## Generally

Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

### Respiratory Equipment

Туре	Class	Colour	Standards
No special when used			
as intended.			

### Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

# Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	> 360	EN374	



#### Eye protection

Туре	Standards
Safety glasses	EN166



### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Purple



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Odour / Odour threshold

Lemon like

рΗ

1 - 2

Density (g/cm³)

-

### Relative density

1.07 (20 °C)

#### Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

### Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

### Vapour pressure

Testing not relevant or not possible due to the nature of the product.

### Relative vapour density

Testing not relevant or not possible due to the nature of the product.

## Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

### Data on fire and explosion hazards

### Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

### Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

### Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

## Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

## Solubility

Solubility in water

Very soluble

### n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

## Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

### 9.2. Other information

# Other physical and chemical parameters

No data available.

## Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

## 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Storage in the open is not recommended.

Sunlight



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### 10.5. Incompatible materials

Bases

#### 10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eve damage/irritation

Causes serious eye damage.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

### Endocrine disrupting properties

Not applicable.

#### Other information

d-limonene has been classified by IARC as a group 3 carcinogen.

# SECTION 12: Ecological information

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

## 12.6. Endocrine disrupting properties

Not applicable.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 - Corrosive

HP 14 - Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

## EWC code

Not applicable.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## **SECTION 14: Transport information**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12- 16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9	III	Yes	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12- 16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9	III	Yes	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12- 16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9	III	Yes	See below for additional information.

<sup>\*</sup> Packing group

# Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or

<sup>\*\*</sup> Environmental hazards



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

## 14.6. Special precautions for user

Not applicable.

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

## Demands for specific education

No specific requirements.

### SEVESO - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes

#### **Biocidal Products Regulations**

Product type: PT2 - Disinfectants and algaecides not intended for direct application to humans or animals Restrictions on use

Directions for use and dose rate

### Additional information

## Labelling of contents according to Detergents Regulation (EC) No 648/2004

5% - 15%

· Non-ionic surfactants

· Perfumes (D-LIMONENE)

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Control of Major Accident Hazards (COMAH) Regulations 2015.

In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

## 15.2. Chemical safety assessment

No

## SECTION 16: Other information

## Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H302, Harmful if swallowed.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

H304, May be fatal if swallowed and enters airways.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

PC 35 = Washing and Cleaning Products (including solvent based products)

PC 8 = Biocidal Products (e.g. Disinfectants, pest control)

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### The safety data sheet is validated by

**Regulatory Chemist** 

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en