

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### SAFETY DATA SHEET

# Osmos Premium Dishwasher Rinse Aid

SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier Trade name Osmos Premium Dishwasher Rinse Aid Product no. OSM-PDRA-2X5, OSM-PDRA-10, OSM-PDRA-20 Unique formula identifier (UFI) C2F0-A0VM-300M-JWVY 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Cleaning product Restricted to professional users. Product code (A.I.S.E.) Code AISE-P204 / Rinse aid. Automatic process. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **Cleenol Group Ltd.** Neville House, Beaumont Road, Banbury, Oxon, **OX16 1RB** United Kingdom Tel: +44(0) 1295 251 721 www.cleenol.com E-mail technical.enquiries@cleenol.co.uk Revision 21/09/2023 SDS Version 10 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures". SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture Skin Irrit. 2; H315, Causes skin irritation.

Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements







According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Hazard statement(s)

Causes skin irritation. (H315)

Causes serious eye irritation. (H319)

#### Precautionary statement(s) General

Jener

#### Prevention

Wash hands thoroughly after handling. (P264) Wear eye protection/protective gloves. (P280)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

## Disposal

Hazardous substances

None known.

Additional labelling

UFI: C2F0-A0VM-300M-JWVY

#### 2.3. Other hazards

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

| Product/substance  | Identifiers   | % w/w  | Classification  | Note |
|--|---|--------|---|------|
| Alcohols, C9-11-iso, C10-reach,<br>ethoxylated, propoxylated | CAS No.: 154518-36-2<br>EC No.: 685-127-5<br>UK-REACH:<br>Index No.:          | 10-15% | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319                   | [19] |
| ethanol  | CAS No.: 64-17-5<br>EC No.: 200-578-6<br>UK-REACH:<br>Index No.: 603-002-00-5 | 3-5%   | Flam. Liq. 2, H225  |      |
| propan-2-ol  | CAS No.: 67-63-0<br>EC No.: 200-661-7<br>UK-REACH:<br>Index No.: 603-117-00-0 | 1-3%   | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336 |      |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

# Keep unauthorized persons away from the spill

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents. 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material Keep only in original packaging.

## Storage temperature

6 - 40°C

Dry, cool and well ventilated

#### Incompatible materials

No specific requirements

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

ethanol Long term exposure limit (8 hours) (ppm): 1000 Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 1920

#### propan-2-ol

Long term exposure limit (8 hours) (ppm): 400 Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 999 Short term exposure limit (15 minutes) (ppm): 500 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

# DNEL

| ethanol   |                    |                  |
|---|--------------------|------------------|
| Duration:   | Route of exposure: | DNEL:            |
| Long term – Systemic effects - General population | Dermal             | 206 mg/kg bw/day |
| Long term – Systemic effects - Workers            | Dermal             | 343 mg/kg bw/day |
| Long term – Systemic effects - General population | Inhalation         | 114 mg/m³        |
| Long term – Systemic effects - Workers            | Inhalation         | 380 mg/m³        |
| Short term – Local effects - General population   | Inhalation         | 950 mg/m³        |
| Short term – Local effects - Workers              | Inhalation         | 1900 mg/m³       |
| Long term – Systemic effects - General population | Oral               | 87 mg/kg bw/day  |
| propan-2-ol                                       |                    |                  |
| Duration:   | Route of exposure: | DNEL:            |
| Long term – Systemic effects - General population | Dermal             | 319 mg/kg bw/day |
| Long term – Systemic effects - Workers            | Dermal             | 888 mg/kg bw/day |
|   |                    |                  |



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Long term – Systemic effects - General population  | Inhalation | 89 mg/m³              |
|--|------------|-----------------------|
| Long term – Systemic effects - Workers             | Inhalation | 500 mg/m <sup>3</sup> |
| Short term – Systemic effects - General population | Inhalation | 178 mg/m³             |
| Short term – Systemic effects - Workers            | Inhalation | 1000 mg/m³            |
| Long term – Systemic effects - General population  | Oral       | 26 mg/kg bw/day       |
| Short term – Systemic effects - General population | Oral       | 51 mg/kg bw/day       |

#### PNEC

| ethanol                           |                       |               |
|-----------------------------------|-----------------------|---------------|
| Route of exposure:                | Duration of Exposure: | PNEC:         |
| Freshwater                        |                       | 960 μg/L      |
| Freshwater sediment               |                       | 3.6 mg/kg     |
| Intermittent release (freshwater) |                       | 2.75 mg/L     |
| Marine water                      |                       | 790 µg/L      |
| Marine water sediment             |                       | 2.9 mg/kg     |
| Predators                         |                       | 380-720 mg/kg |
| Sewage treatment plant            |                       | 580 mg/L      |
| Soil                              |                       | 630 µg/kg     |
|                                   |                       |               |

#### propan-2-ol

| Route of exposure:                | Duration of Exposure: | PNEC:      |
|-----------------------------------|-----------------------|------------|
| Freshwater                        |                       | 140.9 mg/L |
| Freshwater sediment               |                       | 552 mg/kg  |
| Intermittent release (freshwater) |                       | 140.9 mg/L |
| Marine water                      |                       | 140.9 mg/L |
| Marine water sediment             |                       | 552 mg/kg  |
| Predators                         |                       | 160 mg/kg  |
| Sewage treatment plant            |                       | 2.251 g/L  |
| Soil                              |                       | 28 mg/kg   |

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

## General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

## Hygiene measures

Take off contaminated clothing and wash it before reuse.

#### Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

#### Generally

Use only UKCA marked protective equipment.

**Respiratory Equipment** 



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

|   | Туре  | Class   | Colour   | Standards                        |  |
|---|---|---|--|----------------------------------|--|
|   | No specific<br>requirements   |   |  |                                  |  |
| Ski                                     | n protection  |   |  |                                  |  |
|   | Recommended   | Type/Category   | Stand  | lards                            |  |
|   | No special when used as intended.   | -   | -  |                                  |  |
| Ha                                      | nd protection   |   |  |                                  |  |
|   | Material  | Glove thickness (mm)  | Breakthrough time<br>(min.)  | e Standards                      |  |
|   | Gloves  | -   | > 360  | EN374                            |  |
| Eve                                     | e protection  |   |  |                                  |  |
|   | Work situation  | Туре  | Stand  | lards                            |  |
|   | When there is risk of<br>splash- / intermittent<br>exposure   | Safety glasses  | EN166  | 5                                |  |
| SECT                                    | TON 9: Physical and ch  | nemical properties  |  |                                  |  |
| Ph<br>Co<br>Od<br>pH<br>De<br>Re<br>Kir | ysical state<br>Liquid<br>lour<br>Blue<br>lour / Odour threshold<br>Faint   | uct is a liquid   |  |                                  |  |
| Me<br>So<br>Bo<br>Va<br>Re<br>De        | ftening point/range (w<br>Does not apply to liquiling point (°C)<br>Testing not relevant of<br>pour pressure<br>Testing not relevant of<br>lative vapour density<br>Testing not relevant of<br>composition temperat<br>Testing not relevant of<br>on fire and explosion lish point (°C) | or not possible due to th<br>vaxes and pastes) (°C)<br>uids.<br>or not possible due to th<br>or not possible due to th<br>or not possible due to th<br>ture (°C)<br>or not possible due to th | he nature of the prod<br>he nature of the prod<br>he nature of the prod<br>he nature of the prod | luct.<br>luct.<br>luct.<br>luct. |  |



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Flammability (°C) Testing not relevant or not possible due to the nature of the product. Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product. Solubility Solubility in water Very soluble n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. 9.2. Other information Other physical and chemical parameters No data available. **Oxidizing properties** Testing not relevant or not possible due to the nature of the product. SECTION 10: Stability and reactivity 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid Extremes of temperature Storage in the open is not recommended. 10.5. Incompatible materials No specific requirements 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1. SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. **Respiratory sensitisation** Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

## Endocrine disrupting properties

Not applicable.

## Other information

propan-2-ol has been classified by IARC as a group 3 carcinogen.

SECTION 12: Ecological information

#### 12.1. Toxicity

#### No data available.

- 12.2. Persistence and degradability No data available.
- 12.3. Bioaccumulative potential No data available.
- 12.4. Mobility in soil No data available.
- 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

- 12.6. Endocrine disrupting properties Not applicable.
- 12.7. Other adverse effects None known.

SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### EWC code

#### Not applicable.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

#### SECTION 14: Transport information

|              | 14.1<br>UN / II | 14.2<br>D UN proper shipping name | 14.3<br>Hazard class(es) | 14.4<br>PG* | 14.5<br>Env** | Other<br>information: |
|--------------|-----------------|-----------------------------------|--------------------------|-------------|---------------|-----------------------|
| ADR          | -               | -                                 | -                        | -           | -             | -                     |
| IMDG         | -               | -                                 | -                        | -           | -             | -                     |
| IATA         | -               | -                                 | -                        | -           | -             | -                     |
| k Da alsta a |                 |                                   |                          |             |               |                       |

\* Packing group

## \*\* Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

#### Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

- SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **Restrictions for application** Restricted to professional users. Demands for specific education No specific requirements. SEVESO - Categories / dangerous substances Not applicable. Additional information Not applicable. Sources The Health and Safety at Work etc. Act 1974 Regulations 2013. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law. 15.2. Chemical safety assessment No SECTION 16: Other information Full text of H-phrases as mentioned in section 3 H225, Highly flammable liquid and vapour. H315, Causes skin irritation. H319, Causes serious eye irritation. H336, May cause drowsiness or dizziness. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of
  - 1978. ("Marpol" = marine pollution)
  - OECD = Organisation for Economic Co-operation and Development
  - PBT = Persistent, Bioaccumulative and Toxic
  - PNEC = Predicted No Effect Concentration
  - RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
  - RRN = REACH Registration Number
  - SCL = A specific concentration limit
  - SVHC = Substances of Very High Concern



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The safety data sheet is validated by Regulatory Chemist Other A change (in proportion to the last essential change (first cinber in SDS version, see section 1)) is marked with a

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en