CLEENOL For a cleaner, safer world

SAFETY DATA SHEET EASIDOSE ANTIBACTERIAL MULTI-SURFACE CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name EASIDOSE ANTIBACTERIAL MULTI-SURFACE CLEANER

Internal identification ED3/1L Container size 3x1L

UFI UFI: RCA1-90CU-G00G-W0PG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent. For professional use only.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House **Beaumont Road** Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct via 111

(UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Health hazards

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms

Hazard statements







Danger

Signal word

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Revision date: 05/08/2021 Revision: 31 Supersedes date: 27/07/2021

EASIDOSE ANTIBACTERIAL MULTI-SURFACE CLEANER

Precautionary statements P260 Do not breathe vapour/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

Contains ALCOHOLS, C12-C14, ETHOXYLATED, Alkyl (C12-16) dimethylbenzyl ammonium chloride

(ADBAC/BKC (C12-16))

Detergent labelling Contains BRONOPOL (INN)

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

9.5%

P310 Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see medical advice on this label).

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOLS, C12-C14, ETHOXYLATED 10-30%

CAS number: 68439-50-9 EC number: 500-213-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

Alkyl (C12-16) dimethylbenzyl ammonium chloride

(ADBAC/BKC (C12-16))

Classification

Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Revision date: 05/08/2021 Revision: 31 Supersedes date: 27/07/2021

EASIDOSE ANTIBACTERIAL MULTI-SURFACE CLEANER

β-ALANINE, N-(2-CARBOXYETHYL)-, N-COCO ALKYL

5-10%

DERIV., DISODIUM SALT

Classification

Eye Irrit. 2 - H319

2-(2-BUTOXYETHOXY)ETHANOL

5-10%

CAS number: 112-34-5 EC number: 203-961-6

Classification

Eye Irrit. 2 - H319

BRONOPOL (INN) <1%

CAS number: 52-51-7 EC number: 200-143-0

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302

Acute Tox. 4 - H312 Acute Tox. 3 - H331

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

STOT SE 3 - H335

Aquatic Acute 1 - H400

Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention if any

discomfort continues.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water

or milk to drink. Get medical attention if symptoms are severe or persist. Get medical attention

if a large quantity has been ingested.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if

symptoms are severe or persist after washing.

Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids

wide apart. Continue to rinse. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation The product is considered to be a low hazard under normal conditions of use. Spray/mists

may cause respiratory tract irritation.

Ingestion Corrosive. May be harmful if swallowed.

Skin contact Causes severe burns.

Eye contact Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards Water used for fire extinguishing, which has been in contact with the product, may be

corrosive.

Hazardous combustion

products

Corrosive gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out

of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may

become slippery. Do not touch or walk into spilled material. Wash thoroughly after dealing

with a spillage.

6.2. Environmental precautions

Environmental precautionsToxic to aquatic life with long lasting effects. Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Dispose of

contents/container in accordance with local regulations. Flush contaminated area with plenty

of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid contact with skin, eyes and clothing. Avoid breathing spray.

Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Chemical storage. Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³ Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment that provides appropriate eye and face

protection should be worn.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. Wear protective

gloves made of the following material: Nitrile rubber. Rubber (natural, latex). To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist

degradation.

Hygiene measures Wash hands thoroughly after handling.

Respiratory protection No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Red.

Odour Characteristic.

pH pH (concentrated solution): 7 - 8

Initial boiling point and range 100°C @ 760 mm Hg

Flash point Not applicable.

Flammability (solid, gas) Not applicable.

Relative density ~ 1.03 @ 20°C

Soluble in water.

Auto-ignition temperature Not applicable.

Revision date: 05/08/2021 Revision: 31 Supersedes date: 27/07/2021

EASIDOSE ANTIBACTERIAL MULTI-SURFACE CLEANER

Explosive properties Not applicable.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 40 - 43

Volatile organic compound This product contains a maximum VOC content of 10 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No specific material or group of materials is likely to react with the product to produce a

reactions hazardous situation.

10.4. Conditions to avoid

Conditions to avoid No specific requirements are anticipated under normal conditions of use.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 1,818.18

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Extreme pH Moderate pH (> 2 and < 11.5).

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Inhalation Considered to be a low inhalation hazard at normal workplace temperatures.

Ingestion Corrosive. Harmful if swallowed.

Skin contact Causes severe burns.

Eye contact Causes serious eye damage.

Route of exposure Skin and/or eye contact Ingestion

Medical considerations Pre-existing eye problems. Skin disorders and allergies. Revision date: 05/08/2021 Revision: 31 Supersedes date: 27/07/2021

EASIDOSE ANTIBACTERIAL MULTI-SURFACE CLEANER

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity Very toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Care should be taken when handling emptied containers that have not been thoroughly

cleaned or rinsed out.

Disposal methods Dispose of contents/container in accordance with national regulations.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1760

UN No. (IMDG) 1760

UN No. (ICAO) 1760

UN No. (ADN) 1760

14.2. UN proper shipping name

Proper shipping name CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

(ADR/RID) CHLORIDE)

Proper shipping name (IMDG) CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

CHLORIDE)

Proper shipping name (ICAO) CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

CHLORIDE)

Proper shipping name (ADN) CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM

CHLORIDE)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C9

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group

IMDG packing group

ICAO packing group

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-B

ADR transport category 3

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012

concerning the making available on the market and use of biocidal products (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 05/08/2021

Revision 31

Supersedes date 27/07/2021

SDS number 21692

Hazard statements in full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.