

SAFETY DATA SHEET AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

Internal identification TCF20, TCF200

Container size 20L, 200L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent. Heavy duty. For use through pressure cleaners and hot water/steam

cleaners.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

Neville House Beaumont Road Banbury

Daribury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms





Signal word Danger

Hazard statements H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

Precautionary statements P261 Avoid breathing vapour/ spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.

Contains ALCOHOLS, C12-C14, ETHOXYLATED, 1,2-BENZISOTHIAZOL-3(2H)-ONE, 2-

METHYLISOTHIAZOL-3(2H)-ONE

Detergent labelling < 5% amphoteric surfactants, Contains BRONOPOL (INN)

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOLS, C12-C14, ETHOXYLATED

1-5%

CAS number: 68439-50-9 EC number: 500-213-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

β-ALANINE, N-(2-CARBOXYETHYL)-, N-COCO ALKYL

1-5%

DERIV., DISODIUM SALT

Classification

Eye Irrit. 2 - H319

BRONOPOL (INN) <1%

CAS number: 52-51-7 EC number: 200-143-0 REACH registration number: 01-

2119980938-15-XXXX

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

2-METHYLISOTHIAZOL-3(2H)-ONE <1%

Classification

Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 2 - H330 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1A - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

1,2-BENZISOTHIAZOL-3(2H)-ONE <1%

CAS number: 2634-33-5 EC number: 220-120-9

M factor (Acute) = 1

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Due to the physical nature of this product, exposure by this route is unlikely.

Ingestion Give plenty of water to drink. Give milk instead of water if readily available. Get medical

attention if a large quantity has been ingested. If in doubt, get medical attention promptly.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water.

Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids

wide apart. Continue to rinse. Get medical attention if symptoms are severe or persist after

washing.

4.2. Most important symptoms and effects, both acute and delayed

General information May produce an allergic reaction.

Inhalation The product is not believed to present a hazard due to its physical nature.

Ingestion No adverse effects known. May be harmful if swallowed.

Skin contact May cause an allergic skin reaction.

Eye contact May cause serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion

products

Irritating gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or

vapours.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact. Do not touch or walk into spilled material.

Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions The product contains a substance which is harmful to aquatic organisms and which may

cause long-term adverse effects in the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area

with plenty of water. Discharge of small quantities to the sewer with plenty of water may be

permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid contact with eyes and prolonged skin contact.

Advice on general occupational hygiene

Wash contaminated skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Keep container tightly sealed when not in use. Store at

temperatures between 0°C and 40°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide

(PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protection No specific eye protection required during normal use. Eyewear complying with an approved

standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn. Wear protective

gloves made of the following material: Rubber (natural, latex). Nitrile rubber.

Hygiene measures Wash contaminated skin thoroughly after handling.

Respiratory protection No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Yellow.

Odour Almost odourless.

pH pH (concentrated solution): ~ 9.5

Initial boiling point and range 100°C

Flash point Not applicable.

Relative density ~ 1.03 @ 20°C

Soluble in water.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not determined.

Viscosity Non-viscous.

Explosive properties Not applicable.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 12 - 15

Volatile organic compound This product contains a maximum VOC content of <1 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 12,345.68

SECTION 12: Ecological information

Ecotoxicity The product contains a substance which is harmful to aquatic organisms and which may

cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is miscible with water and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 11/06/2020

Revision 13

Supersedes date 05/05/2017

SDS number 10004

Hazard statements in full H301 Toxic if swallowed.

H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

AUTO CLEEN PREMIUM TRAFFIC FILM REMOVER - CAUSTIC FREE

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.